Literatur.

The Journal of Conchology. Vol. X No. 3.

p. 65. Newton, R. Bullen, the Geographical Distribution of extinct British Non-Marine Shells (Cont.).

„ 75. Byne, L. St. G. & A. Leicester, the Marine Mollusca and Brachiopoda of the Isle of Man.

„ 86. Whitwell, W., Notes on Shells observed and collected in East-Sussex.

„ 91. Collier, Ed., Reversed Helices recently found in Lancashire.

„ 92. Kew, H. Wallis, on the Mucous-Threads of Land Slugs.

Annales de la Société Royale Malacologique de Belgique. — Tome XXXV, Année 1900.

p. 13. Dupuis, P. et le Dr. Putzeys, Diagnoses de quelques Coquilles nouvelles provenant de l'Etat indépendant du Congo. (Ganomidos fraterculus p. 8 fig. 18; — Perideriopsis fallsensis p. 13 f. 19, 20; — P. moulaënsis p. 14 fig. 21, 22; — Melania ponthiervillensis p. 14 fig. 23, mit var. spoliata fig. 24; — M. nyangweensis p. 16 fig. 25; — M. depravata p. 16 fig. 26, 27; — M. nsendwensis p. 17 fig. 28, 29; — M. soror p. 18 fig. 30; — M. consobrina p, 18 fig. 31, 32; — M. kinshassensis p. 19 fig. 33, 34.

Hedley, Charles, some new or unfigured Australian Shells. — In: Rec. Austral. Mus. v. 4 No. 1 (March. 1901).

Neu oder zum erstenmal abgebildet: Natica subcostata T. Woods fig. 3; — Mangelia desalesii T. Wood fig. 4; — Carditella delta Tate & May fig. 4; — Philobrya tatei n. p. 24 fig. 6; — Periploma micans n. p. 25 fig. 7; — Sarepta tellinaeformis n. p. 26 fig. 8.

Hedley, Charles, Studies on Australian Mollusca III. — In: P. Linn. Soc. N. S. Wales 1900, part. 4 (May 1901). With pl. III.

Neu Mathilda rosae p. 722 t. 48 fig. 13, 14; — Leuconopsis inermis p. 722 t. 48 fig. 15; — Stenothyra australis p. 724 t. 48 fig. 10; — Iravadia australis p. 724 t. 727 48 f. 12; — Callomphala globosa p. 728 t. 26; — Endodonta concinna p. 729 t. 48 fig. 2—3, Cundaberg, Queensland; — Chlamys fenestrata p. 730 t. 48 fig. 17—19; — Ferner sind abgebildet: Bittium minimum,

T. Woods fig. 20; — Blauneria leonardi Crosse t. 48 fig. 9; — Daphnella tasmanica T. Wood fig. 21; — Hydatina tasmanica (Akera) Bedd. fig. 22; — Trophon brazieri T. Woods fig. 23; — Euthria clarkei T. Woods fig. 24; — Schismope pulchra, Petterd fig. 25; — Petterdiana thoanumi Pilsbry p. 727 t. 48 fig. 11; — Stylifer petterdi Tate & May f. 27; — Asaphis contraria (Psammobia) Deshayes t. 48 f. 4—8.

Proceedings of the Malacological Society of London. — Vol. 4 No. 5.

p. 187. Godwin-Austen, H. H., Anatomy of the Helix ampulla Bens. and its generic position in the Ariophantinae. (Indrella n. subgen., neben Nilgiria zu stellen).

„ 191. Gude, G. K., a third report on Helicoid Land-Shells from Japan and the Loo-Choo Island. With pl. 19—21. Zahlreiche Arten zum ersten Mal abgebildet. Neu: Trishoplita cretacea var. decussata p. 194; — Eulota friedeliana var. tumida p. 195.

„ 202. Pace, S. on the rediscovery of Euselenops (= Neda) limiceps, Cuv.

„ 205. Pace, S., Note on the Anatomy of Thersites (Hadra) bipartita. (Fér.).

„ 208. Sowerby, G. B., Descriptions of new species of Marine Mollusca collected by the late Otto Koch at the Island of Cebu, Philippines. Neu: Phos nitens p. 208 t. 22 fig. 1; — Nassa cebuensis p. 208 t. 22 fig. 2; — Drillia fusco-nitens p. 208 t. 22 fig. 3; — Eulima submarginata p. 209 t. 22 fig. 4; — Subularia piperata p. 209 t. 22 fig. 5; — Stilifer kochianus p. 209 t. 22 fig. 6; — Pyrgulina intersculpta p. 220 t. 22 fig. 9; — Scala humerosa p. 210 t. 22 fig. 10; — Triforis picturatus p. 210 t. 22 fig. 11; — Cerithium oscitans p. 211 t. 22 fig. 12; — Emarginula biangulata p. 211 t. 22 fig. 13; — Arca bicarinata p. 211 t. 22 fig. 14.

„ 212. Sowerby, G. B., Description of Marginella princeps n. t. 22 fig. 15.

„ 213. Sowerby, G. B., on seven new species of Marine Mollusca collected by Dr. H. Becker at „the Kowie“ South Afrika. — Neu: Trophon kowicensis p. 213 t. 22 fig. 16; — Mitra kowieensis p. 213 t. 22 fig. 17; — Turbonilla bathyrhaphe p. 213 t. 22 fig. 18; — Odostomia (Pyrgulina) robusta p. 214 t. 22 fig. 19; — Drillia rugisculpta p. 214 t. 22 fig. 20; — Solariella beckeri p. 214 t. 22 fig. 22.

p. 216. Sanderborn, C. Davies, Notes on the Dates of Publication of the Parts of Kieners „Species Général et Iconographie des Coquilles vivants."

„ 220. Sykes, E. R., Notes on the Genus Temesa, H. & A. Adams, with Descriptions of two new Land-Shells (Temesa and Clausilia), from South America. Neu Clausilia pilsbryi p. 221 fig. 2; — Temesa magnifica p. 221 fig. 3.

„ 223. Bullen, R. Ashington, on two apparently new species of Corbicula (subtriangularis p. t. 23 fig. 1; — fulgida t. 23 fig. 2.

The Journal of Conchology. — Vol. 10 No. 4 October 1901.

p. 97. Kew, H. Wallis, on the Mucus-Threads of Land-Slugs. (Cont.).

„ 104. Smith, Edg, A., on South-African Marine Shells, with descriptions of new species. — Neu: Glyphis spreta (= Fissurella fimbriata Sow. nec Reeve) t. 1 fig. 18; — Gl. elizabethae (= sieboldii Sow. nec Reeve) t. 1 fig. 12; — Patella decemcostata p. 106 t. 1 fig. 22; — Acmaea roseoradiata p. 106 t. 1 fig. 19: — Ac. albonotata p. 107 t. 1 fig. 14, 16; — Rissoa crawfordi p. 107 t. 1 fig. 13; — Radius gracillimus p. 107 t. 1 fig. 20 21; — Cerithium rufonodulosum p. 108 t. 1 fig. 8; — Odostomia lavertinae (= angasi Sow. nec Tryon) p. 108 t. 1 fig. 15; — Eulima translucida p. 109 t. fig. 11; — E. algoënsis p. 109 t. 1 fig. 10; — Euthria quecketti p. 110 t. 1 fig. 1; — Tritonidea natalensis (= subrubiginosa Sow. nec Smith), p. 111 t. 1 fig. 23; — Astyris lightfooti p. 112 t. 1 fig. 8; — Anachis burnupi p. 112 t. 1 fig. 2; — Murex fallax p. 113 t. 1 fig. 9; — Marginella algoënsis p. 114 t. 1 fig. 4; — Clavatula parilis p. 115 t. 1 fig. 7; — Terebra (Abretia) diversa (= rufopunctata Sow. nec Smith) p. 115 t. 1 fig. 6.

„ 117. Melvill, J. Cosmo, Cypraea chrysalis Kien. and C. microdon Gray. — (C. minoridens nom nov. für C. microdon auct. nec Gray.).

„ 122. Marshall, J. T., Additions to „British Conchology" (cont.). Neu Eulima anceps.

Journal de Conchyliologie. — Vol. 49 No. 4.

p. 197. Gude, G. K., sur une collection de Plectopylis du Tonkin, avec la description de six espèces nouvelles. Avec pl. VI. Neu Pl. dautzenbergi p. 198 Textf. 1 t. 6 fig. 1; — Pl. bavayi p. 200 Textf. 2, t. 6 fig. 2; — Pl. tenuis Textf. 3, t. 6 fig. 3; — Pl. fischeri Textf. 4, t. 6 fig. 4; — Pl. emigrans Mlldff.

Textf. 5, t. 6 fig. 5; — Pl. anceyi Textf. 6, t. 6 fig. 6; — Pl. persimilis Textf. 7, t. 6 fig. 7.

p. 213. Dautzenberg, Ph., Description de deux Bulimulidès provenant du Perou (Peronaeus jocorensis t. 8 fig. 1, 2 und P. baeri t. 8 fig. 3, 4.

„ 215. Dautzenberg, Ph. und J. Bernier, Description d'un Bulimidé nouveau, provenant de la Nouvelle-Caledonie (Leucocharis porphyrochila t. fig. 5, 6).

„ 219. Ancey, C. F., Notes critiques et synonymiques sur quelques Mollusques. — Ennea zanguebarica Morel. = obesa Gibbons. — E. longula Smith = Bulimus exiguus Morel.; — Für Ennea Bourguignatiana wird die Priorität vor E. subringens Crosse verlangt. — propinqua Mouss. = castanea Rousseau; — N. chrysocolla Gould = rivula Rousseau. — Für Lechaptocsia (Ancey) Bourg wird entgegen Martens die Priorität vor Horea Smith reklamirt. Hydrobia caledonensis Chaper = Tomichia ventricosa Sow.

„ 226. Pallary, Paul, Diagnoses de quelques Coquilles nouvelles, provenant du Maroc. (Nassa tingitana, Xerophila daurae, Xer. vaucheri, Melanopsis mourebeyensis).

„ 229. Dollfus, G. & Ph. Dautzenberg, Nouvelle Liste des Pelecypodes, et des Brachiopodes fossiles du Miocéne moyen du Nord-Ouest de la France.

Proceedings of the Malacological Society of London. — Vol. 4 No. 6 October 1901.

p. 231. Smith, Edg. A., a List of the known forms of Volutidae from South-Africa, with descriptions of two new species of Voluta from Africa. (Neu Alcithoe ponsonbyi und Lyria quecketti, beide im Text abgebildet). 7 Arten sind bekannt.

„ 236. Kennard, A. S, and Woodward, B. B., Note on the occurence of Planorbis stroemi Westerl. in the holocene Deposits of the Thames Valley.

„ 237. Preston, H. B., Description of Cymbiola maugeri, a supposed new Species from the Falkland Islands. Mit Textfigur.

„ 238. da Costa, S. J., Descriptios of new Species of Land-Shells from Central- and South-America. — Neu: Drymaeus chiriquensis p. 238 t. 24 fig. 1; — Dr. obliquistriatus fig. 2; — Dr. cylindricus fig. 3; — Dr. elsteri fig. 6; — Dr. subventricosus p. 239 fig. 4; — Dr. exoticus fig. 10; — Dr. expansus var. perenensis fig. 5; — Dryptus indentatus fig. 8; — Neocyclotus columbiensis p. 240 fig. 7; — N. caucaensis fig. 9.

p. 241. Blanford, W. T., Notes on Ariophanta, Xestina, Nilgirica and Euplecta. With pl. 25; Neu: Ariophanta canarica p. 248 fig. 1; — Ar. heteraea p. 248 t. 2; — Ar. (Xestina) gassii p. 249 fig. 3; — Euplecta transfretata p. 249 fig. 9; — Eu. agastyae p. 250 fig. 10; — Eu. binoyaensis p. 250 fig. 7; — Eu: laevis p. 281 fig. 8; — Eu. fluctuosa p. 251, Textf.; — Eu. granulifera p. 252. Textf.; — Eu. oribates p. 253, Textf.

„ 254. Bullen, R. Ashington, Pleistocene Mollusca from the raised beach-deposits of Perim Island.

„ 256. Crick, G. C., Note on a Dibranchiate Cephalopod from the London Clay of Sheppey.

„ 259. Sykes, E. R., Description of Onichochiton isipingoënsis from South-Africa.

„ 260. Sykes, E. R., Description of Helicina pelewensis n. sp. from the Pelew Islands. (Textf.), mit Abb. von H. rufocallosa Ancey.

„ 261. Godwin-Austen, H. H., on the Anatomy of Helix politissima Pfeiffer, of Ceylon, and on its position in the Ariophantinae (Ravana n. subg.).

Rossmässler's Iconographie, Neue Folge v. IX Lfg. 3 & 4.

Neu beschrieben oder zum erstenmal abgebildet werden: Pomatia salomonica Naeg. no. 1614; — Claus. staudingeri Bttg. no. 1617; — Campylaea kiralikoeica Kim. no. 1618, 1619; — Camp. crombezi Loc. no. 1621; — Euomphalia floerickei Kob. no. 1623; — Levantina mardinensis Kob. no. 1630; — Codringtonia praecellens Naeg. no. 1636; — Zebrinus detritus v. cilicicus n. no. 1639; — Pomatia fathallae Naeg. no. 1640; — Buliminus eudoxinus Naeg. no. 1663; — Bul. narcissei Gall. no. 1635; — Macularia grossularia Mrts. no. 1671; — Jacosta subsuta Mrts. no. 1673; — Pomatia oestreichi n. no. 1674; — Levantina, naegelei Kob. no. 1675, 1676.

Eingegangene Zahlungen:

Wertheim, F., Berlin, Mk. 6.—; Hofer, Dr. J., Wädenswil, Mk 12.—; Museum, naturhist. Hamburg, Mk. 6.—; Clessin, S., Ochsenfurt, Mk. 6.—; Pfeiffer, K., Kassel, Mk. 6.—; Krause, Dr., A., Gr. Lichterfelde, Mk. 6.—; Neumann, R., Erfurt. Mk. 6.—; Reinhardt